

MIDWEST
Product Catalog



Achieve authentic character and
UNCOMPROMISING PERFORMANCE.



JamesHardie

Siding | Trim



Installed on over 8 million homes* from coast to coast, James Hardie® fiber cement siding products are designed to resist the most extreme conditions while romancing the senses. Enjoy the warm, natural character of wood with unprecedented peace of mind. It's easy to see what makes James Hardie the market leader.

UNIQUE FORMULATION

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

FINISHING TECHNOLOGY

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

COMPLETE EXTERIOR™

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

*Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

CONTENTS

- 4 HardieZone® System
- 6 Unique Formulation
- 8 Finishing Technology
- 10 James Hardie Complete Exterior™
- 12 HardiePlank® Lap Siding
- 14 HardiePanel® Vertical Siding
- 16 HardieShingle® Siding
- 18 HardieTrim® Boards
- 20 HardieSoffit® Panels
- 22 Color Inspiration
- 24 Color Selection
- 26 HardieWrap® Weather Barrier
- 27 Finishing Touches
- 28 The James Hardie Difference
- 30 Warranty and Endorsements

It's time to
BUILD SOMETHING TIMELESS.

HardieZone® System

Only James Hardie fiber cement products are Engineered for Climate®. In the northern U.S. and Canada, HZ5® products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10® products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS



Resist the elements
WITH IRRESISTIBLE CHARM.



TOUGHER THAN THE ELEMENTS



Stands up to storms and harsh weather



Water resistant to protect against swelling, warping and cracking; also resists mold damage



Won't be eaten by animals or insects



Fire resistant



Helps reduce time and money spent on maintenance

Unique Formulation HZ5® Substrate


Not all fiber cement is the same. The James Hardie HZ5 product formulation contains the highest quality raw materials. Proprietary additives, combined with an innovative manufacturing process and product design, create a substrate specifically engineered to reduce moisture and resist damage from wet or freezing conditions.

PROPRIETARY ENHANCEMENTS CREATE DURABLE JAMES HARDIE® SIDING



Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.



Enhanced moisture resistance for unmatched durability

Patented and proprietary additives are chemically bonded within the HZ5 substrate matrix to provide durable moisture resistance.



Increased dimensional stability

Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.



Integrity is ingrained
IN EVERYTHING WE DO.



The advanced design of HZ5 lap siding improves drainage from top to bottom.

In addition to our product formulation's enhanced moisture resistance, HardiePlank® HZ5 lap siding features a modified profile with a sloped top and bullnose drip edge for improved drainage over the entire outer face of the board.



Sloped Top

Positive slope at top drains moisture to outer face of lap



Profiled Drip Edge

Bottom bullnose drip edge allows moisture to drain away from lap

Finishing Technology

ColorPlus® Technology

Our advanced ColorPlus® Technology finishes deliver the ultimate in aesthetics and performance to your job site. Our products aren't simply painted at the factory. Multiple coats of color are baked onto the board, creating a vibrant, consistent finish for years of lasting character, adhesion and fade resistance.

**GIVE HOMES A DURABLE, RICH AND CONSISTENT COLOR
NO FIELD-APPLIED HOUSE PAINT CAN MATCH.**



Superior finish adhesion

Our proprietary coating is engineered for superior adhesion to our substrate and applied to all surfaces, edges and features for durable performance.



Superior color retention

Finish is cured onto boards after each coating step for a stronger bond, which allows for exceptional resistance to cracking, peeling and chipping.



Superior UV resistance

Multi-coat, baked-on finish retains its vibrancy longer when compared to vinyl siding and paint on other siding products in all UV conditions.



For timeless beauty
BEGIN WITH THE FINISH.

ColorPlus®
Technology

Our finishes help eliminate stress and reduce costly weather delays when it's too cold or damp to paint for extended periods. And there's no reason to question whether or not sub-optimal painting conditions will negatively affect your paint job. In fact, there's no longer any need to paint on-site during installation.

ColorPlus Technology finishes are fully cured in a controlled environment and arrive on your job site ready for year-round installation.



James Hardie Complete Exterior™

Top to bottom, our exterior product line is defined by excellent performance, aesthetics and design options.

Provide protection from the elements, showcase a homeowner's individual style and install peace of mind with exceptional warranties through a single, trusted manufacturer.

ColorPlus®
Technology
Sandstone Beige

HardieSoffit®
Panels

ColorPlus®
Technology
Monterey Taupe

HardieShingle®
Siding

HardiePlank®
Lap Siding

HardieTrim®
Boards

HardiePanel®
Vertical Siding &
HardieTrim®
Batten Boards

Exceptional warranties through a
SINGLE, TRUSTED MANUFACTURER.

Sleek and strong, HardiePlank® lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream home a reality. From Victorians to Colonials, HardiePlank lap siding sets the standard in exterior cladding.

HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
6.25 in. Smooth
Arctic White

A classic look for
THE HOME OF THEIR DREAMS.



SELECT CEDARMILL®

Khaki Brown

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.**
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet	324	280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3



SMOOTH

Countrylane Red

Thickness	5/16 in.					
Length	12 ft. planks					
Width	5.25 in.	6.25 in.	7.25 in.	8.25 in.	9.25 in.*	12 in.**
Exposure	4 in.	5 in.	6 in.	7 in.	8 in.	10.75 in.
ColorPlus Pcs./Pallet	324	280	252	210		
Prime Pcs./Pallet	360	308	252	230	190	152
Pcs./Sq.	25.0	20.0	16.7	14.3	12.5	9.3



BEADED CEDARMILL®

Light Mist

Thickness	5/16 in.	
Length	12 ft. planks	
Width	8.25 in.	
Exposure	7 in.	
ColorPlus Pcs./Pallet	210	
Prime Pcs./Pallet	240	
Pcs./Sq.	14.3	



BEADED SMOOTH

Heathered Moss

Thickness	5/16 in.	
Length	12 ft. planks	
Width	8.25 in.	
Exposure	7 in.	
ColorPlus Pcs./Pallet	210	
Prime Pcs./Pallet	240	
Pcs./Sq.	14.3	

*9.25 in. only available primed.

**12 in. only available primed and in select areas.

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardiepros.com

HardiePanel® vertical siding delivers style and substance. When combined with HardieTrim® boards, it achieves the rustic board-and-batten look that defines cottage charm. The covered seams contribute to a well-insulated home.

Its crisp, clean lines make HardiePanel vertical siding a smart choice for strong, contemporary designs.



True to the tradition of
PERFORMANCE AND BEAUTY.



SELECT CEDARMILL®

Navajo Beige

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



SMOOTH

Evening Blue

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



STUCCO

Navajo Beige

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5



SIERRA 8

Not available with ColorPlus Technology

Thickness	5/16 in.		
Size	4 ft. x 8 ft.	4 ft. x 9 ft.*	4 ft. x 10 ft.
Pcs./Pallet	50	50	50
Pcs./Sq.	3.2	2.8	2.5

*4 ft. x 9 ft. HardiePanel vertical siding only available primed.

Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardiepros.com

Restore the look of a grand Cape Cod or add distinction to a handsome bungalow. HardieShingle® siding embodies the enchanting look of cedar shingles with lower maintenance.

Better than the real thing, HardieShingle siding resists rotting, curling, warping and splitting.



Achieve the handcrafted
LOOK OF CEDAR.



STAGGERED EDGE PANEL

Chestnut Brown

Thickness 1/4 in.
Length 48 in.
Height 15.25 in.
Exposure 6 in.
Pcs./Pallet 100
Sq./Pallet 2
Pcs./Sq. 50.0



STRAIGHT EDGE PANEL

Iron Gray

Thickness 1/4 in.
Length 48 in.
Height 15.25 in.
Exposure 7 in.
Pcs./Pallet 86
Sq./Pallet 2
Pcs./Sq. 43.0



HALF ROUNDS*

Not available with ColorPlus Technology

Thickness 1/4 in.
Length 48 in.
Height 15.25 in.
Exposure 7 in.
Pcs./Pallet 86
Sq./Pallet 2
Pcs./Sq. 43.0

*Half Rounds are only available in Minneapolis, Detroit, Kentucky, and St. Louis districts.


Form meets function at every angle with HardieTrim® boards. With an authentic look, HardieTrim boards provide design flexibility for columns, friezes, doors, windows and other accent areas.

Better than wood, it will complement your long-lasting, lower maintenance James Hardie siding — adding punctuation to your design statement.



The performance you require
THE DISTINCTIVENESS YOU DESIRE.


HARDIETRIM® BOARDS



4/4 NT3® SMOOTH & ROUGHSAWN

Arctic White

Thickness	.75 in.				
Length	12 ft. boards				
Width	3.5 in.	5.5 in.	7.25 in.	9.25 in.	11.25 in.
Pcs./Pallet	312	208	156	104	104



5/4 NT3® SMOOTH & ROUGHSAWN

Arctic White

Thickness	1 in.				
Length	12 ft. boards				
Width	3.5 in.	4.5 in.*	5.5 in.	7.25 in.	9.25 in. 11.25 in.
Pcs./Pallet	240	200	160	120	80 80



CROWN MOULDING

Arctic White

Thickness	.75 in.	
Length	12 ft. boards	
Width	3.25 in.	5.25 in.
Pcs./Pallet	50	48

HARDIETRIM® BATTEN BOARDS



RUSTIC GRAIN®

Arctic White

Thickness	.75 in.	
Length	12 ft. boards	
Width	2.5 in.	
Pcs./Pallet	437	



SMOOTH

Arctic White

Thickness	.75 in.	
Length	12 ft. boards	
Width	2.5 in.	
Pcs./Pallet	437	

*5/4 x 4.5 in NT3 boards are available only in smooth

HardieSoffit®
16 in. Vented
Smooth
Arctic White

A home is only as strong as its weakest point. HardieSoffit® panels reinforce your work by protecting the vulnerable gap between eaves and exterior walls.

Available in vented, non-vented and a range of pre-cut sizes, these panels complete your design and help protect it from moisture and pests.

VENTILATION BENEFITS

Using vented soffit improves ventilation in the attic space and reduces the chance of water vapor condensation that can lead to issues such as mold and mildew growth, stained ceilings and damage to the framing of the house.

In warm climates, HardieSoffit panels allow hot, humid air to escape, which not only helps prevent condensation in the attic, but can also help reduce air conditioning costs.

In cool climates, HardieSoffit panels help prevent condensation from forming on the interior side of the roof sheathing and reduce the chances of roof-damaging ice dams.

For complete confidence
EVERY DETAIL MATTERS.



VENTED SMOOTH & CEDARMILL®

Cobble Stone

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in.
ColorPlus Pcs./Pallet	216	156	108
Prime Pcs./Pallet	200	150	100



NON-VENTED SMOOTH & CEDARMILL®

Cobble Stone

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 in.
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50



BEADED PORCH PANEL

Arctic White

Thickness	1/4 in.
Length	8 ft.
Width	48 in.
Pcs./Pallet	50

Using the proper amount of vented HardieSoffit panels is crucial to a building's ventilation performance. James Hardie has taken the guess work out of soffit ventilation by providing the table below illustrating the minimum amount of vented HardieSoffit panels recommended for your attic space.**

ATTIC SQ. FT.	LINEAR FT. OF VENTED SOFFIT
200	10
300	14
400	19
500	24
600	29
700	34
800	38
900	43
1000	48
1100	53
1200	58
1300	62
1400	67
1500	72
1600	77
1700	82
1800	86
1900	91
2000	96
2100	101
2200	106
2300	110
2400	115
2500	120
2600	125
2700	130
2800	134
2900	139
3000	144
3100	149

*These 48 in. x 8 ft. panels only available primed.

**Linear Feet of Vented Soffit calculation is based on 2012 International Residential Code (IRC) Section 806.2, Exception 2, with a 50% upper attic and 50% lower attic split of required ventilation, using soffit with a net free ventilation of 5 square inches per linear foot. This Exception is also approved in 2015 IRC Section 806.2. Always consult a building design professional to confirm attic ventilation meets local building code requirements.

Color Inspiration



Cast your homes in
THE MOST ROMANTIC LIGHT.

SUBTLE BLENDS

- Khaki Brown
- Cobble Stone
- Timber Bark

COOL TONES

- Evening Blue
- Arctic White
- Boothbay Blue

COMPLEMENTARY

- Heathered Moss
- Mountain Sage
- Arctic White

WARM TONES

- Countrylane Red
- Navajo Beige
- Autumn Tan

Use deeper body colors for a warm, welcoming feeling. Make homes appear larger with soft contrasts between siding and trim. The right color combinations leave lasting impressions. Our color specialists designed the rich ColorPlus finish collection to help you express what's special about every home you build.

Express the true nature of a home's character with ColorPlus® Technology

PLANK, PANEL, BATTEN AND SHINGLE COLORS



TRIM AND SOFFIT COLORS



Explore our color palettes and differentiate your homes with stunning curb appeal. These distinctive tones are drawn from natural environments, complementing your design with the look of America's idyllic neighborhoods.



Selecting a color? Request a product sample at jameshardiepros.com/samples

Colors shown are as accurate as printing methods will permit. Please see actual product sample for true color.



We've got performance covered
FROM THE INSIDE OUT.

No exterior cladding can prevent 100% of water intrusion. Your homes should have an additional line of defense. HardieWrap® weather barrier provides a superior balance of water resistance and breathability, keeping the area within the wall drier. This helps prevent moisture accumulation that may lead to mold and mildew growth.

INSTALLATION ADVANTAGES

- Thicker, more durable material for easier, quicker installation
- Superior tear resistance helps prevent water infiltration
- Can be installed with staples in place of cap nails for cost savings
- Provides a higher level of performance, no matter what type of cladding you specify



WEATHER BARRIER

Thickness	11 mil.			
Length	100 ft.	100 ft.	150 ft.	150 ft.
Width	3 ft.	9 ft.	9 ft.	10 ft.

PRO-FLASHING

Thickness	20 mil.		
Length	75 ft.	75 ft.	75 ft.
Width	4 in.	6 in.	9 in.

FLEX FLASHING

Thickness	60 mil.	
Length	75 ft.	75 ft.
Width	6 in.	9 in.

SEAM TAPE

Thickness	3 mil.
Length	165 ft.
Width	1-7/8 in.



To learn more about our weather barrier's advantages, visit jameshardiepros.com

Finishing Touches

ColorPlus Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our Touch-up Kits offer resistance to aging, color change and chalking. Included in the kits, Touch-up Pens conceal nailheads and very small nicks and scratches.



COLOR MATCHED CAULK

OSI® QUAD® MAX sealant offers a high performance sealant solution to color match James Hardie ColorPlus products.



Trim Accessories

FLAT TABS

Reduce nail holes and improve the aesthetic of trim applications around windows, doors and band boards.

CORNER TABS

Use corner tabs to reduce the appearance of nail holes that would detract from the finished look of corner trim installations.



Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit jameshardiepros.com

See the James
Hardie Difference



James Hardie invented fiber cement. Over 8 million homes* later, we continue to set the standard in premium, high-performance exterior cladding. Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our employees, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.

*Estimate based on total James Hardie siding sales through 2016 and average housing unit size.

HardieTrim®
5/4 x 3.5 in.
Arctic White

HardiePlank®
7.25 in. Select
Cedarmill®
Timber Bark


As unforgettable
AS IT IS UNCOMPROMISING.

Warranty

Protect your homes with North America's #1 brand of siding backed by exceptional warranties. Unlike other brands, James Hardie doesn't prorate our siding and trim warranty coverage. We stand behind our siding 100% for 30 years and trim for 15 years.

ColorPlus Technology finishes come with a 15-year limited warranty.

James Hardie Non-Prorated Siding Substrate Warranty Coverage



Endorsements – a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.*



Featured on the **DIY Network's Blog Cabin** since 2012



Chosen by builders as a **Brand Leader** in **Builder Magazine** since 2009



HardiePlank lap siding is backed by the **Good Housekeeping Seal**

*Endorsements accurate as of 2017.



Make every home
AN EXPRESSION OF YOUR CHARACTER.



1.888.542.7343 | jameshardiepros.com

© 2017 James Hardie Building Products Inc. All Rights Reserved. TM, SM, and © denote trademarks or registered trademarks of James Hardie Technology Limited. OSI and QUAD are registered symbols of Henkel Corporation. HS15159 11/17



JamesHardie

Siding | Trim